



# pennsylvania

DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BETHLEHEM DISTRICT OFFICE



June 26, 2013

Lower Saucon Township Manager  
3700 Old Philadelphia Pike  
Bethlehem, PA 18015

Attn: Mr. Jack Cahalan

Re: IESI PA Bethlehem Landfill  
I.D. #100020  
Lower Saucon Township, Northampton County

Dear Mr. Cahalan:

Please find enclosed a copy of the report of an inspection performed by this District Office at the IESI PA Bethlehem Landfill, located in your municipality. A copy of the inspection report is being provided to you pursuant to the provisions of Section 1101(a)(1) of Act 101, the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988.

If you have any questions, please feel free to contact me at 610-861-2136.

Sincerely,

Walter F. Govern III  
Solid Waste Specialist  
Waste Management Program

**ROUTING**

- Council
- Manager *orig*
- Asst. Mgr. *enclosure*
- Zoning
- Finance
- Police
- P. Works
- P/C
- P & R
- EAC
- Engineer
- Solicitor
- Planner
- Landfill
- EMC
- Other *Website*

4530 Bath Pike | Bethlehem, Pennsylvania 18017-9074

610.861.2136 | Fax 610-861-2072

Printed on Recycled Paper

www.depweb.state.pa.us



COMMONWEALTH OF PENNSYLVANIA  
 DEPARTMENT OF ENVIRONMENTAL PROTECTION  
 BUREAU OF WASTE MANAGEMENT  
 P.O. Box 8472, Harrisburg, PA 17105-8472

Inspection ID 1831525

**INSPECTION REPORT - MUNICIPAL WASTE LANDFILL**

Permit Number 100020  
 EPA I.D. Number \_\_\_\_\_ Employer I.D. Number (EIN) \_\_\_\_\_  
 Facility Name IESI PA BETHLEHEM LDFL Operator Name IESI PA BETHLEHEM LDFL CORP  
 Address 2335 APPLEBUTTER RD Address 2335 APPLEBUTTER RD  
 SR 2012  
 City BETHLEHEM State \_\_\_\_\_ City BETHLEHEM State \_\_\_\_\_  
 Municipality 8924 Lower Saucon County Northampton  
 Responsible Official SAMUEL DONATO, JR. Title PA. DISTRICT MANAGER  
 Person Interviewed Al Schleyer Title Compliance Manager  
 Inspector Walter F Govern Telephone # \_\_\_\_\_ x \_\_\_\_\_  
 Title Solid Waste Specialist  
 eFACTS ID # Client 112995 Site 255983 PF 268729 SF 266826  
 Comment \_\_\_\_\_  
 Inspection Date Start Jun 10, 2013 Inspection Time Start 0630 hrs Inspection Date End Jun 10, 2013 Inspection Time End 1600 hrs  
 Inspection Type RTNC Routine/Complete Inspection Inspection Result NOVIO No Violations Noted

Permit Expiration Date: 04/17/2023 Days/Week Operated: 6 Max. Daily Volume: 1800 tons

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance 5 - Resolved

STATUS					REQUIREMENT	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4	5				
<b>GENERAL PROVISIONS</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required insurance in effect (expiration date <u>01/31/2014</u> ).	<input type="checkbox"/>	271.371	1
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operation in accordance with approved plans and permit.	<input type="checkbox"/>	273.201(c)(2)	2
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operation within permit boundaries (vertical and horizontal).	<input type="checkbox"/>	273.201(c)(2)	3
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Disposal Timing and sequence as per Section 273.112(1).	<input type="checkbox"/>	273.201(c)(2)	4
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No unapproved wastes or liquids.	<input type="checkbox"/>	273.201(d)-(m)	5
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Isolation distances are adhered to.	<input type="checkbox"/>	273.202(a)	6
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facilities certification requirements followed.	<input type="checkbox"/>	273.203(a), (b)	7
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Written Department approval of new construction prior to waste disposal.	<input type="checkbox"/>	273.203(c)	8
<b>DAILY OPERATIONS</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper signs posted.	<input type="checkbox"/>	273.211(a)	9
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Site perimeter clearly marked and grid coordinate system in use.	<input type="checkbox"/>	273.311(b)-(d)	10
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper barriers installed around site and access controlled when attendant not present.	<input type="checkbox"/>	273.212(a)-(i)	11
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Access roads maintained and negotiable by collection vehicles.	<input type="checkbox"/>	273.213(a)-(i)	12
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved means of measuring and inspected waste utilized.	<input type="checkbox"/>	273.214(a), (b)	13
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate equipment on-site and stand-by equipment available.	<input type="checkbox"/>	273.215(a), (b)	14
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicles directed promptly to unloading area and promptly unloaded.	<input type="checkbox"/>	273.216(a), (b)	15

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance 5 - Resolved

STATUS					REQUIREMENT	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4	5				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Solid waste spread and compacted as approved by Department as part of permit.	<input type="checkbox"/>	273.216(c)	16
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements fugitive air contaminant control/measures and prevents and controls air pollution including no exceeding of ambient air quality standards, no open burning, and minimizing generation of fugitive dust emissions from facility.	<input type="checkbox"/>	273.217(a)	17
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator complies with Air Quality Plan approval and Air quality Operating Permit.	<input type="checkbox"/>	273.217(b)	18
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not cause or allow attraction, harborage, or breeding of vector.	<input type="checkbox"/>	273.218(a)	19
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements nuisance minimization and control plan.	<input type="checkbox"/>	273.218(b)(1)	20
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator performs regular, frequent, and comprehensive site inspections to reduce potential for offsite odors.	<input type="checkbox"/>	273.218(b)(2)	21
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator promptly addresses and correct problems and deficiencies discovered during inspections.	<input type="checkbox"/>	273.218(b)(3)	22
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements nuisance minimization and control plan to minimize and control other conditions harmful to the environment or public health, or which create safety hazards, odors, dirt, noise, unsightliness and other public nuisances.	<input type="checkbox"/>	273.218(c)	23
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not receive solid waste at a landfill in excess of the maximum or average daily volume approved in the permit.	<input type="checkbox"/>	273.221(a)	24
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements radiation protection action plan.	<input type="checkbox"/>	273.223(a)	25
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator monitors incoming waste in accordance with Department's guidance or in a manner at least as protective of the environment, facility staff and public health and safety.	<input type="checkbox"/>	273.223(b)	26
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Radiation detector elements shall be as close as practical to wasteload and in appropriate geometry to monitor the waste.	<input type="checkbox"/>	273.223(c)	27
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator has portable radiation monitors capable of determining the dose rate and presence of contamination of a vehicle that has caused an alarm. Upon exceedance of alarm level, a radiological survey of the vehicle is performed.	<input type="checkbox"/>	273.223(d)	28
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator notifies Department immediately and isolates vehicle when radiation dose rates are exceeded.	<input type="checkbox"/>	273.223(e)	29
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monitoring equipment is calibrated at frequency specified by manufacturer, but not less than once a year.	<input type="checkbox"/>	273.223(f)	30
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If radioactive material is detected, vehicle containing material shall not leave facility without written Department approval and an authorized federal Department of Transportation exemption form.	<input type="checkbox"/>	273.223(g)	31
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Uniform cover of the approved daily cover material is placed on exposed solid waste at the end of each working day or at the end of every 24 hours, whichever interval is less.	<input type="checkbox"/>	273.232(a)	32
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If intermediate cover requires revegetation, it is established within 30 days.	<input type="checkbox"/>	273.233(e)	33
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Slopes constructed during daily landfilling and intermediate cover activities may not exceed 50 percent.	<input type="checkbox"/>	273.233(f)	34

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance 5 - Resolved

STATUS					REQUIREMENT	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4	5				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not cause or allow waste pollution within or outside the site from operation of the facility.	<input type="checkbox"/>	273.241(a)-(c)	35
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator has restored or replaced adversely affected water supply with an alternative source of like quantity and quality.	<input type="checkbox"/>	273.245(a)	36
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temporary water supply is provided within 48 hours.	<input type="checkbox"/>	273.245(b)	37
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Permanent water supply is provided within 90 days.	<input type="checkbox"/>	273.245(c)	38
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No waste 15 feet of inside top of the lined perimeter berm.	<input type="checkbox"/>	273.252(e)	39
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lined perimeter berm 4 ft. high constructed and maintained along edge of the lined disposal area.	<input type="checkbox"/>	273.252(f)	40
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Edge of liner clearly marked.	<input type="checkbox"/>	273.252(g)	41
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Alternate leachate recirculation method may be used if approved if one of the liner systems is a composite liner.	<input type="checkbox"/>	273.274(b)	42
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Underground pipes used to transport leachate to leachate storage impoundments or tanks equipped with secondary containment or comply with 245.445.	<input type="checkbox"/>	273.275(g)	43
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator isolates coal seams, coal outcrops and coal refuse from waste deposits to prevent combustion of waste and damage to liner.	<input type="checkbox"/>	273.291(a)	44
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mine openings within site sealed as approved by Department.	<input type="checkbox"/>	273.291(b)	45
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements plan for controlling potential damage from subsidence submitted and approved under 273.120.	<input type="checkbox"/>	273.291(c)	46
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Landfill designed, constructed, maintained and operated to prevent and minimize potential for fire, explosion, or release of solid waste constituents into air, water, or soil of the Commonwealth.	<input type="checkbox"/>	273.301	47
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Emergency equipment including portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment available. For fire equipment requiring water, facility has a water supply of or adequate quantity and pressure to supply the equipment.	<input type="checkbox"/>	273.302(a)	48
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Emergency equipment tested and maintained.	<input type="checkbox"/>	273.302(c)	49
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate space maintained to allow unobstructed movement of emergency personnel and equipment.	<input type="checkbox"/>	273.302(d)	50
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Litter controlled/collected and barriers/fences in place.	<input type="checkbox"/>	273.220(a)-(c)	51
<b>COVER/SLOPES/REVEGETATION</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily/intermediate cover meets performance and design requirements.	<input type="checkbox"/>	273.232(b) AND 273.233(b), (c)	52
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 5 day supply of daily and intermediate cover maintained on-site.	<input type="checkbox"/>	273.232(c) AND 273.233(d)	53
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intermediate cover applied within time limits.	<input type="checkbox"/>	273.233(a)	54
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intermediate slopes do not exceed 50%.	<input type="checkbox"/>	273.232(d)	55
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cap placed over entire surface of final lift meets performance standards.	<input type="checkbox"/>	273.234(a)(1)	56
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final cover meets performance and design requirements; applied within time limits.	<input type="checkbox"/>	273.234(b)-(e)	57
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final slopes stable and erosion controlled.	<input type="checkbox"/>	273.234(f)	58
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final slopes graded 3-15% or terraced to 30% as approved.	<input type="checkbox"/>	273.234(g)	59

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance 5 - Resolved

STATUS					REQUIREMENT	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4	5				
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum revegetation and successful revegetation requirements adhered to.	<input type="checkbox"/>	273.235(a)-(e) AND 273.236(a), (b)	60
<b>WATER QUALITY PROTECTION</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Surface and groundwater treatment facilities properly operated and maintained.	<input type="checkbox"/>	273.241(b)	61
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Surface water percolation minimized/prevented.	<input type="checkbox"/>	273.242(b)(1) AND 273.234(e)(4)	62
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Soil erosion and sedimentation controls designed and implemented as per approved plans; gullies over nine inches repaired.	<input type="checkbox"/>	273.242(a)-(c)	63
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sedimentation ponds and discharge structures designed, constructed, operated, and maintained in accordance with Chapters 273, 102, and 105.	<input type="checkbox"/>	273.243(a)-(g) AND 273.244	64
<b>LINER SYSTEM</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Liner system designed, constructed, operated, and maintained when required.	<input type="checkbox"/>	273.251(a), (b)	65
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Edge of liner requirements adhered to (i.e., no waste within 25 feet if adjacent liner, 4 feet high lined berm, to prevent lateral escape of leachate, adequate spacing on inside of berm to collect stormwater and sediment).	<input type="checkbox"/>	273.252(d)	66
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate detection zone monitored weekly.	<input type="checkbox"/>	273.255(c)	67
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Protective cover protects primary liner and leachate collection system and allows free flow of leachate into the collection system.	<input type="checkbox"/>	273.257(a)	68
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Protective cover meets minimum requirements and at least 18 inches thick.	<input type="checkbox"/>	273.257(b)	69
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collection system within protective cover meets minimum requirements.	<input type="checkbox"/>	273.258(a), (b)	70
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Barrier designed, constructed and maintained as required to prevent lateral migration of leachate off-site in surface mined areas.	<input type="checkbox"/>	273.259(a)-(d)	71
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8 feet of select waste placed over protective cover.	<input type="checkbox"/>	273.260	73
<b>LEACHATE TREATMENT</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collected and handled through Department approved method(s).	<input type="checkbox"/>	273.272(a)-(c)	74
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate transportation requirements adhered to.	<input type="checkbox"/>	273.273(a)-(c)	75
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cessation of site operation if alternate leachate handling not available.	<input type="checkbox"/>	273.273(d)	76
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate treatment system permitted and fully operational at least 3 years before closure.	<input type="checkbox"/>	273.273(e)	77
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate recirculation in accordance with regulations.	<input type="checkbox"/>	273.274(1)-(4)	78
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collection and storage systems on-site have capacity of 30 days or 250,000 gallons, whichever is greater.	<input type="checkbox"/>	273.275(a)-(f)	79
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate flow rate measured daily; analyzed quarterly.	<input type="checkbox"/>	273.276(a)-(b)	80
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Department notified when remedial action(s) required.	<input type="checkbox"/>	273.277(1)-(4)	81
<b>WATER QUALITY MONITORING</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved monitoring system installed and maintained.	<input type="checkbox"/>	273.281(a), (b) AND 273.283	82

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance 5 - Resolved

STATUS					REQUIREMENT	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4	5				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Quarterly and annual monitoring requirements adhered to and results submitted Department within time constraints.	<input type="checkbox"/>	273.284 AND 273.285	83
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Groundwater assessment plan submitted and implement as required.	<input type="checkbox"/>	273.286(a)-(g)	84
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Groundwater abatement plan submitted and implemented as required.	<input type="checkbox"/>	273.287(a)-(f)	85
<b>RECORDKEEPING AND REPORTING</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operational records maintained, available and submitted as required.	<input type="checkbox"/>	273.288 AND 273.311-273.313	86
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily Operational Records kept in accordance with regulations for the life of the facility bond or longer if necessary.	<input type="checkbox"/>	273.311(d)	87
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator submits quarterly operation report.	<input type="checkbox"/>	273.312	88
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator submits annual operation report with fee.	<input type="checkbox"/>	273.313	89
<b>MINERALS AND GAS</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas venting and monitoring in accordance with approved plans.	<input type="checkbox"/>	273.292(a)-(d)	90
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Combustible gas levels not exceeded.	<input type="checkbox"/>	273.292(e)	91
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Forced gas venting if required.	<input type="checkbox"/>	273.292(f)	92
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas recovery conducted as per approved plan and §273.293, including annual analysis.	<input type="checkbox"/>	273.293(a), (b)	93
<b>EMERGENCY PROCEDURES</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan implemented if there is an emergency.	<input type="checkbox"/>	273.303(a)-(c)	94
<b>RECYCLING</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator shall salvage and recycle waste in accord with recycling plan. (273.196)	<input type="checkbox"/>	273.331(a)	95
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Salvaging and recycling controlled by operator and prevents interference within operations and prevents health hazardous nuisance.	<input type="checkbox"/>	273.331(b)	96
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Salvaged materials stored in an approved area or transported offsite.	<input type="checkbox"/>	273.331(c)	97
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Drop off center established for at least three recyclables.	<input type="checkbox"/>	273.332(a)	98
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Drop off center properly located, contains bins or containers, open at least 8 hours per week and 4 hours during evenings or weekends.	<input type="checkbox"/>	273.332(b), (c)	99
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved public notice of availability of drop off center availability is provided.	<input type="checkbox"/>	273.332(d)	100
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	On or before January 15 each year, operator informs municipality in writing of weight and type of materials recycled previous year.	<input type="checkbox"/>	273.332(e)	101
<b>SPECIAL HANDLING AND RESIDUAL WASTES</b>								
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Special handling and residual wastes disposed with prior Department approval, and in accordance with permit and Chapter 273.	<input type="checkbox"/>	273.501	102
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infectious waste disposal restrictions adhered to.	<input type="checkbox"/>	273.511(a)-(d)	103
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chemotherapeutic waste disposal restrictions adhered to.	<input type="checkbox"/>	273.512	104
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage sludge co-disposal and monofill requirements followed.	<input type="checkbox"/>	273.513	105
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage sludge sampling requirements adhered to and sludge meets standards for control of pathogens, vectors, and odors.	<input type="checkbox"/>	273.513(c)	106
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Disposal of municipal waste incineration ash in landfill or landfill cell that meets Chapter 273 requirements.	<input type="checkbox"/>	273.514(a)	107



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

### Comments:

On June 10, 2013, a routine monthly inspection was conducted in the afternoon at IESI PA Bethlehem Landfill (IESI). Attending the inspection was Walter F. Govern III (this inspector), representing the PA Department of Environmental Protection (Department). Representing IESI PA Bethlehem Landfill (IESI) during this inspection was Al Schleyer, Compliance Manager. During the time of this inspection it was raining heavily, 68°F, wind out of the south east at 10 mph. (accuweather.com)

This morning, the Department held a Waste Haulers Inspection Program (WHIP) event at IESI. The WHIP event ran from 0630 hrs to 1030 hrs.

On June 4, 2013 Becky Easley was onsite at IESI representing the Department.

Prior to entering the landfill for the inspection, an odor patrol was conducted along Applebutter Road, throughout Steel City and around the north side of the landfill on Riverside Drive. No landfill related odors were observed during this odor patrol. No malodors were observed during this inspection. IESI appears to be implementing their Nuisance Minimization and Control Plan as required.

The entrance road to the facility and the access roads to the working face were clean and free of litter and debris. No windblown litter was observed in the trees within the landfills fences. No windblown litter was observed on the slopes of the landfill during the time of this inspection.

The flare was in operation at IESI during the time of this inspection. It was burning landfill gas at a temperature of 1630°F at a flow rate of 2439 scfm.

Cell 4D Stage 1 is the area that is accepting waste during the time of this inspection. There were three trucks dumping at the working face during the time this inspector was observing the working face. Two trucks were waiting to dump during the time of this inspection. No landfill gas odors were detected during the time of this inspection.

The radiation logs for June to the date of this inspection were reviewed. There were no radiation hits since this inspector's last inspection. Log sheets were reviewed showing that the radiation monitors were detecting hits on known sources.

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WASTE MANAGEMENT

**INSPECTION REPORT COMMENTS**

**Comments:**

Daily tonnage reports were observed for June. The weight logs appear complete. The maximum daily tonnage observed in June to the date of this inspection was logged on 06/06/2013 at 1,731.7 tons. The overweight report for the month of June logged 30 overweight trucks to the date of this inspection. Four of the trucks were over the 3% mark. A copy of the overweight trucks report for June is attached to this report.

IESI ran an advertisement for public drop off at the landfill from January 1<sup>st</sup> through January 3<sup>rd</sup> in the Morning Call.

Insurance certificates were reviewed and are valid. The certificate expires 01/31/2014.

This concludes this inspection report.

*[A large diagonal line is drawn across the remaining space of the comments box. In the center of the line, there is a handwritten signature and the date 06/26/2013.]*

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the persons interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person Interviewed Sent Via 1<sup>st</sup> Class Mail Date 06/26/2013  
(Signature)

Inspector [Handwritten Signature] Date 06/26/2013  
(Signature)

**JUNE 2013**

Total Transactions for month (TT, RL, RO, FL)

80000 0.03 2400 **82,400**  
 73280 0.03 2198.4 **75,478**

**OVERWEIGHT VEHICLES**

(Record each vehicle that exceeds 73,280 pounds and each combination vehicle that exceeds 80,000 pounds)

	TRUCK TYPE		GROSS WEIGHT	TIME	TRUCK #	DRIVER NAME	IESI WEIGHMASTER	#1 WARNING	#2 1ST SUSPENSION	#3 2ND SUSPENSION	#4 3RD SUSPENSION	#5 4TH SUSPENSION	DATE SCALE CALIBRATED
	TT, RL, RO	FL											
1	6/1/2013	TT	80,260	9:07 AM	VOY413	JESUS CAMPOS	DEE	X					12/27/2012
2	6/1/2013	TT	80,280	9:44 AM	MS06	LARRY BROWN SR	DEE	X					12/27/2012
3	6/3/2013	TT	80,140	7:20 AM	VOY270	ABEL COLON	DEE	X					12/27/2012
4	6/3/2013	TT	82,820	9:16 AM	OLEX831-31	ERROL BECKLES	DEE	7-Jun					12/27/2012
5	6/3/2013	TT	80,100	12:37 PM	OLEX796	ADAM DALLAS	DEE	X					12/27/2012
6	6/3/2013	TT	80,540	12:41 PM	STR390	MANUEL LEMA-TAMAY	DEE	X					12/27/2012
7	6/3/2013	TT	81,200	2:17 PM	MS09	KEITH KUTZ	MARYANN	X					12/27/2012
8	6/3/2013	TT	81,660	12:21 PM	MS09	LEE WISEBURN	MARYANN	X					12/27/2012
9	6/3/2013	TT	80,180	11:40 AM	ROVIC12	ROMEL DEMELO	JILL	X					12/27/2012
10	6/5/2013	TT	80,100	7:25 AM	TTS513	IVAN CRUZ	DEE	X					12/27/2012
11	6/5/2013	TT	81,280	7:48 AM	MS06	LEE WISEBURN	DEE	10-Jun					12/27/2012
12	6/5/2013	TT	82,860	2:55 PM	MS-13-13941	LARRY BROWN	DEE	10-Jun					12/27/2012
13	6/6/2013	TT	80,400	7:44 AM	STR124	LIONSO ESPINOSA	DEE	X					12/27/2012
14	6/6/2013	TT	81,060	11:53 AM	OLEX827	SIGREDO SOTO	JILL	X					12/27/2012
15	6/7/2013	TT	80,060	7:21 AM	VOY248	JARIOM BAEZ	DEE	X					12/27/2012
16	6/7/2013	TT	80,160	7:25 AM	VOY226	JUAN JUFRE	DEE	X					12/27/2012
17	6/7/2013	TT	80,420	7:27 AM	MIG4	NEUSA DACRUZ	DEE	X					12/27/2012
18	6/7/2013	TT	81,400	7:41 AM	OLEX837	RANDOLPH SULLIVAN	DEE	X					12/27/2012
19	6/7/2013	TT	81,080	7:48 AM	STR124	LIONSO ESPINOSA	DEE	12-Jun					12/27/2012
20	6/7/2013	TT	80,480	8:26 AM	VOY265	JOSE RANGEL	DEE	X					12/27/2012
21	6/7/2013	TT	88,620	11:31 AM	MS05-18453	JOHN LEMON	JILL	12-Jun					12/27/2012
22	6/7/2013	TT	80,500	11:43 AM	OLEX796	ADAM DALLAS	JILL	12-Jun					12/27/2012
23	6/8/2013	TT	77,440	7:08 AM	MAC729	PAUL PATTERSON	MARYANN	13-Jun					12/27/2012
24	6/8/2013	TT	80,760	7:34 AM	VOY248	JARIOM BAEZ	MARYANN	13-Jun					12/27/2012
25	6/8/2013	TT	81,160	7:42 AM	VOY270	COLON, ABEL	MARYANN	13-Jun					12/27/2012
26	6/8/2013	TT	80,480	7:38 AM	MS08	LEE WISEBURN	MARYANN	13-Jun					12/27/2012
27	6/8/2013	TT	80,400	8:01 AM	OLEX841	JONATHAN HARRIGAN	MARYANN	X					12/27/2012
28	6/10/2013	TT	80,220	7:29 AM	VOY226	JUAN JUFRE	DEE	14-Jun					12/27/2012
29	6/10/2013	TT	81,000	7:34 AM	VOY271	RAFAEL AGRAMONTE	DEE	X					12/27/2012
30	6/10/2013	TT	80,140	8:16 AM	OLEX814	DANIEL CALLES	DEE	X					12/27/2012