




pennsylvania

DEPARTMENT OF ENVIRONMENTAL PROTECTION
BETHLEHEM DISTRICT OFFICE

April 5, 2016

Lower Saucon Township Manager
3700 Old Philadelphia Pike
Bethlehem, PA 18015



Attn: Mr. Jack Cahalan

Re: IESI PA Bethlehem Landfill
Permit # 100020
Lower Saucon Township, Northampton County

Dear Mr. Cahalan:

Please find enclosed a copy of the report of an inspection performed by this District Office at the IESI PA Bethlehem Landfill, located in your municipality. A copy of the inspection report is being provided to you pursuant to the provisions of Section 1101(a) (1) of Act 101, the Municipal Waste Planning, Recycling and Waste Reduction Act of 1988.

If you have any questions, please feel free to contact me at 610-861-2150.

Sincerely,

- S**
- ROUTING
- Amy E. Faulch
 - Council
 - Manager
 - Asst. Mgr.
 - Zoning
 - Finance
 - Police
 - P. Works
 - P/C Enclosure
 - P & R
 - EAC
 - Engineer
 - Solicitor
 - Planner
 - Landfill
 - EMC
 - Other

Orig

web

4530 Bath Pike | Bethlehem, Pennsylvania 18017-9074

610.861.2070 | Fax 610-861-2072

Printed on Recycled Paper

www.depweb.state.pa.us

dep 03-23-16



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT
P.O. BOX 8472, HARRISBURG, PA 17105-8472

Inspection ID 2470676Field Code NA

INSPECTION REPORT – MUNICIPAL WASTE LANDFILL

Site I.D. 255983
Site Name IESI PA BETHLEHEM LANDFILL
Address 2335 APPLEBUTTER RD
BETHLEHEM, PA 18015
Municipality 8924 LOWER SAUCON
Responsible Official Allen Schleyer
Person Interviewed Mike Shelden
Inspector Amy E. Faulch
eFACTS ID # PF 268729

Telephone # 610-317-3200
Operator Name IESI PA BETHLEHEM LANDFILL
Address 2335 APPLEBUTTER RD
BETHLEHEM, PA 18015
County NORTHAMPTON
Title District Manager
Title Operations Manager
Title Solid Waste Specialist

SF 266826

Comment: Additional efacts #2470675

Inspection Date: 03 /23 / 2016 Type: Routine Complete Results: NOVIO Resolved: / /
Permit Expiration Date: 4 / 17 / 2023 Days/Week Operated: 6 Max. Daily Volume: 1800

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

STATUS				REVISION	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4				
				GENERAL PROVISIONS			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required insurance in effect (expiration date <u>09/30/2016</u>)	<input type="checkbox"/>	271.371	1
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operation in accordance with approved plans and permit.	<input type="checkbox"/>	273.201(c)(2)	2
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operation within permit boundaries (vertical and horizontal).	<input type="checkbox"/>	273.201(c)(2)	3
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Disposal Timing and sequence as per Section 273.112(1).	<input type="checkbox"/>	273.201(c)(2)	4
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No unapproved wastes or liquids.	<input type="checkbox"/>	273.201(d)-(m)	5
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Isolation distances are adhered to.	<input type="checkbox"/>	273.202(a)	6
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Facilities certification requirements followed.	<input type="checkbox"/>	273.203(a), (b)	7
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Written Department approval of new construction prior to waste disposal.	<input type="checkbox"/>	273.203(c)	8
				DAILY OPERATIONS			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper signs posted.	<input type="checkbox"/>	273.211(a)	9
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Site perimeter clearly marked and grid coordinate system in use.	<input type="checkbox"/>	273.311(b)-(d)	10
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proper barriers installed around site and access controlled when attendant not present.	<input type="checkbox"/>	273.212(a)-(i)	11
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Access roads maintained and negotiable by collection vehicles.	<input type="checkbox"/>	273.213(a)-(i)	12
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved means of measuring and inspected waste utilized.	<input checked="" type="checkbox"/>	273.214(a), (b)	13
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate equipment on-site and stand-by equipment available.	<input type="checkbox"/>	273.215(a), (b)	14
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Vehicles directed promptly to unloading area and promptly unloaded.	<input type="checkbox"/>	273.216(a), (b)	15
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Solid waste spread and compacted as approved by Department as part of permit.	<input type="checkbox"/>	273.216(c)	16
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements fugitive air contaminant control/measures and prevents and controls air pollution including no exceeding of ambient air quality standards, no open burning, and minimizing generation of fugitive dust emissions from facility.	<input type="checkbox"/>	273.217(a)	17
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Operator complies with Air Quality Plan approval and Air quality Operating Permit.	<input type="checkbox"/>	273.217(b)	18

Site Name IESI PA BETHLEHEM LANDFILL
 ID Number 100020
 Date 03/23/16

INSPECTION REPORT – MUNICIPAL WASTE LANDFILL (Cont'd)

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

STATUS				GENERAL REQUIREMENTS	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4				
DAILY OPERATIONS (Cont'd)							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not cause or allow attraction, harborage, or breeding of vector.	<input type="checkbox"/>	273.218(a)	19
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements nuisance minimization and control plan.	<input type="checkbox"/>	273.218(b)(1)	20
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator performs regular, frequent, and comprehensive site inspections to reduce potential for offsite odors.	<input type="checkbox"/>	273.218(b)(2)	21
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator promptly addresses and correct problems and deficiencies discovered during inspections.	<input type="checkbox"/>	273.218(b)(3)	22
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements nuisance minimization and control plan to minimize and control other conditions harmful to the environment or public health, or which create safety hazards, odors, dirt, noise, unsightliness and other public nuisances.	<input type="checkbox"/>	273.218(c)	23
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not receive solid waste at a landfill in excess of the maximum or average daily volume approved in the permit.	<input checked="" type="checkbox"/>	273.221(a)	24
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements radiation protection action plan.	<input type="checkbox"/>	273.223(a)	25
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator monitors incoming waste in accordance with Department's guidance or in a manner at least as protective of the environment, facility staff and public health and safety.	<input checked="" type="checkbox"/>	273.223(b)	26
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Radiation detector elements shall be as close as practical to wasteload and in appropriate geometry to monitor the waste.	<input checked="" type="checkbox"/>	273.223(c)	27
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator has portable radiation monitors capable of determining the dose rate and presence of contamination of a vehicle that has caused an alarm. Upon exceedance of alarm level, a radiological survey of the vehicle is performed.	<input checked="" type="checkbox"/>	273.223(d)	28
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator notifies Department immediately and isolates vehicle when radiation dose rates are exceeded.	<input checked="" type="checkbox"/>	273.223(e)	29
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monitoring equipment is calibrated at frequency specified by manufacturer, but not less than once a year.	<input checked="" type="checkbox"/>	273.223(f)	30
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If radioactive material is detected, vehicle containing material shall not leave facility without written Department approval and an authorized federal Department of Transportation exemption form.	<input checked="" type="checkbox"/>	273.223(g)	31
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Uniform cover of the approved daily cover material is placed on exposed solid waste at the end of each working day or at the end of every 24 hours, whichever interval is less.	<input type="checkbox"/>	273.232(a)	32
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	If intermediate cover requires revegetation, it is established within 30 days.	<input type="checkbox"/>	273.233(e)	33
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Slopes constructed during daily landfilling and intermediate cover activities may not exceed 50 percent.	<input type="checkbox"/>	273.233(f)	34
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator does not cause or allow waste pollution within or outside the site from operation of the facility.	<input type="checkbox"/>	273.241(a)-(c)	35
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator has restored or replaced adversely affected water supply with an alternative source of like quantity and quality.	<input type="checkbox"/>	273.245(a)	36
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Temporary water supply is provided within 48 hours.	<input type="checkbox"/>	273.245(b)	37
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Permanent water supply is provided within 90 days.	<input type="checkbox"/>	273.245(c)	38
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	No waste 15 feet of inside top of the lined perimeter berm.	<input type="checkbox"/>	273.252(e)	39

INSPECTION REPORT – MUNICIPAL WASTE LANDFILL (Cont'd)

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

STATUS				GENERAL REQUIREMENTS	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4				
DAILY OPERATIONS (Continued)							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Lined perimeter berm 4 ft. high constructed and maintained along edge of the lined disposal area.	<input type="checkbox"/>	273.252(f)	40
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Edge of liner clearly marked.	<input type="checkbox"/>	273.252(g)	41
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Alternate leachate recirculation method may be used if approved if one of the liner systems is a composite liner.	<input type="checkbox"/>	273.274(b)	42
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Underground pipes used to transport leachate to leachate storage impoundments or tanks equipped with secondary containment or comply with 245.445.	<input type="checkbox"/>	273.275(g)	43
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator isolates coal seams, coal outcrops and coal refuse from waste deposits to prevent combustion of waste and damage to liner.	<input type="checkbox"/>	273.291(a)	44
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Mine openings within site sealed as approved by Department.	<input type="checkbox"/>	273.291(b)	45
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator implements plan for controlling potential damage from subsidence submitted and approved under 273.120.	<input type="checkbox"/>	273.291(c)	46
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Landfill designed, constructed, maintained and operated to prevent and minimize potential for fire, explosion, or release of solid waste constituents into air, water, or soil of the Commonwealth.	<input type="checkbox"/>	273.301	47
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Emergency equipment including portable fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment available. For fire equipment requiring water, facility has a water supply of or adequate quantity and pressure to supply the equipment.	<input type="checkbox"/>	273.302(a)	48
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Emergency equipment tested and maintained.	<input type="checkbox"/>	273.302(c)	49
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Adequate space maintained to allow unobstructed movement of emergency personnel and equipment.	<input type="checkbox"/>	273.302(d)	50
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Litter controlled/collected and barriers/fences in place.	<input type="checkbox"/>	273.220(a)-(c)	51
COVER/SLOPES/REVEGETATION							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily/intermediate cover meets performance and design requirements.	<input type="checkbox"/>	273.232(b), 273.233(b), (c)	52
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum 5 day supply of daily and intermediate cover maintained on-site.	<input type="checkbox"/>	273.232(c) & 273.233(d)	53
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intermediate cover applied within time limits.	<input type="checkbox"/>	273.233(a)	54
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Intermediate slopes do not exceed 50%.	<input type="checkbox"/>	273.232(d)	55
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cap placed over entire surface of final lift meets performance standards.	<input type="checkbox"/>	273.234(a)(1)	56
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final cover meets performance and design requirements; applied within time limits.	<input type="checkbox"/>	273.234(b)-(e)	57
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final slopes stable and erosion controlled.	<input type="checkbox"/>	273.234(f)	58
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Final slopes graded 3-15% or terraced to 33% as approved.	<input type="checkbox"/>	273.234(g)	59
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Minimum revegetation and successful revegetation requirements adhered to.	<input type="checkbox"/>	273.235(a)-(e) & 273.236(a), (b)	60
WATER QUALITY PROTECTION							
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Surface and groundwater treatment facilities properly operated and maintained.	<input type="checkbox"/>	273.241(b)	61
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Surface water percolation minimized/prevented.	<input type="checkbox"/>	273.242(b)(1) & 273.234(e)(4)	62

Site Name IESI PA BETHLEHEM LANDFILL
 ID Number 100020
 Date 03/23/16

INSPECTION REPORT – MUNICIPAL WASTE LANDFILL (Cont'd)

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

STATUS				GENERAL REQUIREMENTS	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Soil erosion and sedimentation controls designed and implemented as per approved plans; gullies over nine inches repaired.	<input type="checkbox"/>	273.242(a)-(c)	63
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sedimentation ponds and discharge structures designed, constructed, operated, and maintained in accordance with Chapters 273, 102, and 105.	<input type="checkbox"/>	273.243(a)-(g) & 273.244	64
				LINER SYSTEM			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Liner system designed, constructed, operated, and maintained when required.	<input type="checkbox"/>	273.251(a), (b)	65
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Edge of liner requirements adhered to (i.e., no waste within 25 feet if adjacent liner, 4 feet high lined berm, to prevent lateral escape of leachate, adequate spacing on inside of berm to collect stormwater and sediment).	<input type="checkbox"/>	273.252(d)	66
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate detection zone monitored weekly.	<input type="checkbox"/>	273.255(c)	67
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Protective cover protects primary liner and leachate collection system and allows free flow of leachate into the collection system.	<input type="checkbox"/>	273.257(a)	68
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Protective cover meets minimum requirements and at least 18 inches thick.	<input type="checkbox"/>	273.257(b)	69
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collection system within protective cover meets minimum requirements.	<input type="checkbox"/>	273.258(a), (b)	70
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Barrier designed, constructed and maintained as required to prevent lateral migration of leachate off-site in surface mined areas.	<input type="checkbox"/>	273.259(a)-(d)	71
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8 feet of select waste placed over protective cover.	<input type="checkbox"/>	273.260	73
				LEACHATE TREATMENT			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collected and handled through Department approved method(s).	<input type="checkbox"/>	273.272(a)-(c)	74
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate transportation requirements adhered to.	<input type="checkbox"/>	273.273(a)-(c)	75
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Cessation of site operation if alternate leachate handling not available.	<input type="checkbox"/>	273.273(d)	76
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate treatment system permitted and fully operational at least 3 years before closure.	<input type="checkbox"/>	273.273(e)	77
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate recirculation in accordance with regulations.	<input type="checkbox"/>	273.274(1)-(4)	78
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate collection and storage systems on-site have capacity of 30 days or 250,000 gallons, whichever is greater.	<input type="checkbox"/>	273.275(a)-(f)	79
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Leachate flow rate measured daily; analyzed quarterly.	<input checked="" type="checkbox"/>	273.276(a)-(b)	80
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Department notified when remedial action(s) required.	<input type="checkbox"/>	273.277(1)-(4)	81
				WATER QUALITY MONITORING			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved monitoring system installed and maintained.	<input type="checkbox"/>	273.281(a), (b) & 273.283	82
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Quarterly and annual monitoring requirements adhered to and results submitted Department within time constraints.	<input type="checkbox"/>	273.284 & 273.285	83
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Groundwater assessment plan submitted and implement as required.	<input type="checkbox"/>	273.286(a)-(g)	84
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Groundwater abatement plan submitted and implemented as required.	<input type="checkbox"/>	273.287(a)-(f)	85
				RECORDKEEPING AND REPORTING			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operational records maintained, available and submitted as required.	<input type="checkbox"/>	273.288 & 273.311-273.313	86
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily Operational Records kept in accordance with regulations for the life of the facility bond or longer if necessary.	<input type="checkbox"/>	273.311(d)	87

INSPECTION REPORT – MUNICIPAL WASTE LANDFILL (Cont'd)

1 - No Violation Observed 2 - Not-Applicable 3 - Not-Determined 4 - Non-Compliance

STATUS				GENERAL REQUIREMENTS	COMMENTS ATTACHED	CHAPTER CITATION	LINE ITEM
1	2	3	4				
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator submits quarterly operation report.	<input type="checkbox"/>	273.312	88
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator submits annual operation report with fee.	<input type="checkbox"/>	273.313	89
				MINERALS AND GAS	<input type="checkbox"/>		
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas venting and monitoring in accordance with approved plans.	<input type="checkbox"/>	273.292(a)-(d)	90
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Combustible gas levels not exceeded.	<input type="checkbox"/>	273.292(e)	91
<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Forced gas venting if required.	<input type="checkbox"/>	273.292(f)	92
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Gas recovery conducted as per approved plan and §273.293, including annual analysis.	<input type="checkbox"/>	273.293(a), (b)	93
				EMERGENCY PROCEDURES			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Contingency plan implemented if there is an emergency.	<input type="checkbox"/>	273.303(a)-(c)	94
				RECYCLING			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Operator shall salvage and recycle waste in accord with recycling plan. (273.196)	<input type="checkbox"/>	273.331(a)	95
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Salvaging and recycling controlled by operator and prevents interference within operations and prevents health hazardous nuisance.	<input type="checkbox"/>	273.331(b)	96
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Salvaged materials stored in an approved area or transported offsite.	<input type="checkbox"/>	273.331(c)	97
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Drop off center established for at least three recyclables.	<input type="checkbox"/>	273.332(a)	98
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Drop off center properly located, contains bins or containers, open at least 8 hours per week and 4 hours during evenings or weekends.	<input type="checkbox"/>	273.332(b), (c)	99
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved public notice of availability of drop off center availability is provided.	<input type="checkbox"/>	273.332(d)	100
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	On or before January 15 each year, operator informs municipality in writing of weight and type of materials recycled previous year.	<input type="checkbox"/>	273.332(e)	101
				SPECIAL HANDLING AND RESIDUAL WASTES			
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Special handling and residual wastes disposed with prior Department approval, and in accordance with permit and Chapter 273.	<input type="checkbox"/>	273.501	102
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infectious waste disposal restrictions adhered to.	<input type="checkbox"/>	273.511(a)-(d)	103
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Chemotherapeutic waste disposal restrictions adhered to.	<input type="checkbox"/>	273.512	104
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage sludge co-disposal and monofill requirements followed.	<input type="checkbox"/>	273.513	105
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Sewage sludge sampling requirements adhered to and sludge meets standards for control of pathogens, vectors, and odors.	<input type="checkbox"/>	273.513(c)	106
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Disposal of municipal waste incineration ash in landfill or landfill cell that meets Chapter 273 requirements.	<input type="checkbox"/>	273.514(a)	107
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ash residue disposal in dedicated landfill or landfill cell unless co-disposal in accordance with Chapter 273 (including leachability treatment).	<input type="checkbox"/>	273.514(b)	108
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Ash residue covered immediately or as approved by the Department.	<input type="checkbox"/>	273.514(c)	109



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT COMMENTS

Date of Inspection 03/23/2016 Identification Number 100200

Company/Facility/Site Name IESI PA Bethlehem Landfill

Comments:

The PA Department of Environmental Protection ("Department") conducted a routine complete inspection on March 23, 2016 at 1235 hours at IESI PA Bethlehem Landfill ("IESI"). Representing the Department was Ms. Amy Faulch (this inspector). Mr. Mike Shelden provided a site tour and was interviewed on behalf of IESI. Ms. Dee Raisner was also interviewed on behalf of IESI. See the 3/23/16 odor patrol log for weather details.

The following personnel have entered the landfill since the 2/19/16 inspection: A. Faulch and T. Quinlivan on 2/19/16; S. French and T. Quinlivan on 3/10/16; and A. Faulch on 3/23/16.

SITE TOUR:

Prior to entering the landfill, this inspector conducted an odor patrol in the areas surrounding the landfill. A moderate, intermittent sewage odor was detected near the sewage treatment plant along Shimersville Rd. A very light, intermittent sewage odor was also detected along Applebutter Rd. near Skyline Dr. and along Skyline Dr. near Applebutter Rd. A very light, intermittent "wood-burning" odor was detected along Reddington Rd. No other offsite odors were detected during this odor patrol. See the 3/23/16 odor patrol log for details.

The working face was located in Cell 4E/Stage 3; three trucks were observed dumping at the time of this inspection. IESI has resumed accepting long-haul trailers. No odors were detected to the east and to the west of the working face at the time of this inspection. This inspector observed the temporary cap along the south slope. A crew was clearing debris and stone from the temporary cap material, which was used to weight down the lifted temporary cap during the high wind event on 2/16/16. No odors were detected in the temporary cap area at the time of this inspection. IESI will begin re-extend the temporary cap material back over the eastern portion of the south slope, as per Mr. Shelden. IESI is also in the process of installing final cap along the North Slope.

At the time of this inspection the Flare was operating at 2465 scfm and 1668°F. BRE was not operating at this time.

COMPLAINT INVESTIGATIONS:

Please see the attached spreadsheet regarding the data collected for complaints received by the Department since the 2/19/16 inspection. IESI's inspection logs and landfill gas data for the complaint date(s) were reviewed on 3/23/16, see attached. The Department's Air Quality Program responded to these complaints on 3/10/16.

Line item #13: Weighmaster licenses were reviewed and appeared to be up-to-date. Overweight truck logs revealed five overweight trucks in February 2016, and three overweight trucks in March 2016 to date.

Line item #24: Daily tonnages were reviewed since the last inspection. There did not appear to be any exceedances of the 1800 ton daily limit. The greatest one-day tonnages (to date) are as follows:

2/7/16: 639.23 tons

3/10/16: 638.69 tons

Line item #26-31: Daily radiation monitor checks were reviewed since the last inspection. Records appeared complete. IESI had one radiation hits since the last inspection:

3/11/16: I-131 from New York MSW, disposed on site

Line item # 80: Leachate flow rates:

January: 1,451,488 gallons

This concludes this inspection report.

AR 4/5/16

Person Interviewed Sent via First Class Mail

(Signature)

Date _____

Inspector _____

(Signature)

Date 4/5/16

1
6
3

Investigator: A. Faulich Date: 3/23/16
 Weather Conditions: Clear, 61°F, wind 12.7 MSW, 34% RH

IESI PA BETHLEHEM LANDFILL
 ODOR PATROL SURVEY

SURVEY LOCATION	TIME	ODOR INTENSITY S = Strong M = Moderate SL = Slight N = None	ODOR DURATION P = Persistent I = Intermittent N = None	ODOR DESCRIPTION EG = Rotten Egg LFG = Landfill Gas G = Garbage S = Sewage D = Dredge O = Other (describe)	COMMENTS & OBSERVATIONS
Shimerville	1235	M	I	S	EFFECTS # 2470675 COMMENTS & OBSERVATIONS moderate sewage odor near sewage treatment plant
Saucen Ave	1237	N			
Roberts	1239	N			
Snyder	1240	N			
Matthews	1240	N			
Mixell	1241	N			
Adams	1242	N			
Riverside	1242	N			
Fritz	1245	N			
Johnston	1246	N			
Snyder	1247	N			
Schwab	1248	N			
Shimerville	1250	N			
Applebutter	1251	N			
Skyline	1252	SL	I	S	very light sewage odor near Applebutter
Applebutter	1258	SL	I	S	very light sewage odor near Skyline
Lurr Saucen Rd	1301	N			
Reddington	1304	SL	I	D	very light wood burning odor

Investigator: A. Faulstich Date: 3/16/16
 Weather Conditions: Overcast, 64.90°F, wind 5.8 E, 56% RH

IESI PA BETHLEHEM LANDFILL
 ODOR PATROL SURVEY

SURVEY LOCATION	TIME	ODOR INTENSITY S = Strong M = Moderate SL = Slight N = None	ODOR DURATION P = Persistent I = Intermittent N = None	ODOR DESCRIPTION EG = Rotten Egg LFG = Landfill Gas G = Garbage S = Sewage D = Dredge O = Other (describe)	COMMENTS & OBSERVATIONS
Shinersville	1430	M	1	S	moderate sewage odor near sewage treatment plant eFACTS # 2467013
Saucen Ave	1433	N			
Roberts	1435	N			
Snyder	1435	N			
Methews	1435	N			
Mixsell	1436	N			
Adams	1437	N			
Riverside	1438	N			
Fritz	1440	N			
Schwarz	1441	N			
Shinersville	1444	N			
Applebutter	1445	N			
Lur. Saucen Rd	1450	N			
Reddington	1452	N			
Lur. Saucen Rd	1459	N			
Applebutter	1500	N			
Sherry Hill	1501	N			
Ringhoffer	1505	N			

IESI ODOR COMPLAINT LOG (2335 Applebutter Rd, Bethlehem, PA 18017)

Date	Time	Address	Weather Data (Allentown (Kaas)) www.wunderground.com				Residence / Drive-by	Description / Notes	Gas Management Data			Date of initial Response	Addressed in Insp Report Dated
			Distance from Landfill (miles)	Skies	Temperature	Wind (out of)			Flare (scfm)	BE (scfm)	Total (scfm)		
03/08/16	11:32	Saucor Ave, Steel City	0.980	Partly Cloudy	65.0	SW @ 5.8	Residence	Intermittent and slight landfill gas odor detected on property	3097	0	3097	3/10/2016	3/23/2016
03/09/16	2:00-5:00	Saucor Ave, Steel City	0.979	Clear	44.1	Calm	Residence	foul odor from landfill	3016	0	3016	3/10/2016	3/23/2016
03/10/16	2:00-5:00	Saucor Ave, Steel City	0.979	Clear	59.0	Calm	Residence	foul odor from landfill	3130	0	3130	3/20/2016	3/23/2016

AR

Faulch, Amy

From: Allen Schleyer <allen.schleyer@progressivewaste.com>
Sent: Friday, April 01, 2016 3:18 PM
To: Faulch, Amy
Subject: RE: 3/23/16 inspection
Attachments: Requested data.pdf

Amy;

Attached are the odor patrol logs for the beginning of March. Also included per Dee is the February leachate data. Below are the Average flows for the dates and times you requested.

	<u>Flow</u>
3/8/16 11:32, Saucon Ave	3087 SCFM
3/9/16 02:00-05:00, Saucon Ave	3016 SCFM
3/10/16 02:00-05:00, Saucon Ave	3130 SCFM

Have a good weekend

Allen Schleyer
District Manager

Progressive Waste Solutions

T: 610 317 3200
F: 610 357 8799
C: 484 357 3135

2335 Applebutter Road
Bethlehem, PA, 18015
www.progressivewaste.com



From: Faulch, Amy [<mailto:afaulch@pa.gov>]
Sent: Thursday, March 31, 2016 8:46 AM
To: Allen Schleyer
Subject: 3/23/16 inspection

Hello Al,

I was out at IESI for a regular inspection on 3/23/16, and I was wondering if you could please provide Flare activity data and any odor patrol logs for the following complaint dates:

3/8/16 11:32, Saucon Ave
3/9/16 02:00-05:00, Saucon Ave

3/10/16 02:00-05:00, Saucon Ave

Thank you!

Amy E. Faulch | Solid Waste Specialist
Department of Environmental Protection | Waste Management
Bethlehem District Office
4530 Bath Pike | Bethlehem, PA 18017
Phone: 610.861.2158 | Fax: 610.861.2072
www.dep.pa.gov

IESI PA BETHLEHEM LANDFILL ORDOR PATROL SURVEY - 2015

INITIALS	DATE	SURVEY LOCATION	TIME	ODOR INTENSITY M = Moderate S = Strong SL = Slight N = None	WIND DIRECTION	ODOR DESCRIPTION EG = Rotten Egg LFG = Landfill Gas G = Garbage S = Sewage D = Dredge O = Other (describe)	COMMENTS & OBSERVATIONS
MS	3-1-10	NORTH WEST CORNER					
		Water Tower	8:33	N	NE		
		Public Dep Boxes	8:40	N	"		
MS	3-14-10	SAUNON AVE CRUISER	8:43	N	NE		
		ROBERT & SNYDER	8:56	"	"		Raining
		M. KELL & TOLPSTON	8:57	"	"		
		JEFFERSON & M. KELL	9:00	"	"		
		Riverside & JEFFERSON	9:03	N	NE		
		NORTH WEST CORNER AT					
		WATER TOWER	9:50	N	NE		

BETHLEHEM LANDFILL
LEACHATE DEMAND REPORT
February

<u>Location</u>	<u>Total gallons</u>
LMC-6	9,741
LMC-7	17,215
LMC-8	31,355
 LMC-10	 1,649,000
 PS-1	 817,451
PS-2	109,403
PS-3	245,467
 Phase-IV	 1,172,321

Total LMC-10 Flow = LMC-6, 7, 8, Abatement Well System, Phase I and II, and LFG condensate. Phase-IV total from PS-1, PS-2 and PS-3.

Total Discharge

LMC-10	1,649,000
<u>Phase IV</u>	<u>1,172,321</u>
TOTAL	2,821,321 gallons

Total Leachate

Leachate	280,167
<u>Phase IV</u>	<u>1,172,321</u>
TOTAL	1,451,488 gallons

LMC-10 Flow - Abatement System Flow = Leachate System Flow (gallons).
 Abatement System Flow = 1,368,833 gallons (Neptune Flow meters)

Original: PA DEP NERO WM File-thru R. Bellas/D. Fisher

Cc: Facility-sent via First Class Mail
BDO WM File- thru A. Faulch
Lower Saucon Township
A. Faulch (PDF)
D. Fisher (e-mail PDF)
AQ: T. Quinlivan/A. Schweitzer (e-mail PDF)
S. French (e-mail PDF)
T. McGurk (for hydrogeologist, email PDF)

IESI PA Bethlehem Landfill
ATT: Mr. Allen Schleyer
2335 Applebutter Road
Bethlehem, PA 18015